

AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions and listings of claims in the application.

LISTING OF CLAIMS

1. (Cancelled)
2. (Previously Presented) The integrated circuit of Claim 3 wherein said first source and said first drain include n^+ regions and said first body includes a p^+ region.
3. (Previously Presented) An integrated circuit comprising:
 - a first source;
 - a first drain;
 - a first gate that is arranged between said first source and said first drain;and
 - a first body that is arranged inside of and is surrounded by said first source, wherein said first body tapers as a distance between a midportion of said first body and said first gate decreases.

4. (Previously Presented) An integrated circuit comprising:
a first source;
a first drain;
a first gate that is arranged between said first source and said first drain;
and
a first body that is arranged inside of and is surrounded by said first source, wherein said first body has substantially at least one of a diamond shape, a circular shape, an elliptical shape, a hexagon shape, an octagon shape and a football shape.

Please cancel Claim 5 without prejudice.

6. (Previously Presented) The integrated circuit of Claim 3 wherein said first body is spaced from said first gate.

7. (Previously Presented) The integrated circuit of Claim 3 further comprising:

a second drain; and

a second gate that is arranged between said first source and said second drain.

8. (Original) The integrated circuit of Claim 7 wherein said first and second gates are connected.

9. (Previously Presented) An integrated circuit comprising:

a first source;

a first drain;

a first gate that is arranged between said first source and said first drain;

a first body that is arranged inside of and is surrounded by said first source;

a second drain; and

a second gate that is arranged between said first source and said second drain, wherein said first body includes a body contact tap and wherein said first and second gates are arranged farther apart adjacent to said body contact tap than in areas that are not adjacent to said body contact tap.

10. (Previously Presented) An integrated circuit comprising:

a first source;
a first drain;
a first gate that is arranged between said first source and said first drain;
a first body that is arranged inside of and is surrounded by said first source, a second drain; and

a second gate that is arranged between said first source and said second drain, wherein said first source includes a source contact tap and wherein said first and second gates are arranged farther apart adjacent to said source contact tap than in areas that are not adjacent to said source contact tap.

11. (Original) An integrated circuit comprising:

a first source;
a first drain;
a first gate that is arranged between said first source and said first drain;
a first body that is arranged inside of and is surrounded by said first source;

a second drain; and

a second gate that is arranged between said first source and said second drain,

wherein said first body includes a body contact tap and wherein said first and second gates are arranged farther apart adjacent to said body contact tap than in areas that are not adjacent to said body contact tap.

12. (Original) The integrated circuit of Claim 11 wherein said first source, said first drain, and said second drain include n^+ regions and said first body includes a p^+ region.

13. (Original) The integrated circuit of Claim 11 wherein said first body tapers as a distance between a midportion of said first body and said first gate decreases.

14. (Previously Presented) The integrated circuit of Claim 11 wherein said first body has substantially at least one of a diamond shape, a circular shape, an elliptical shape, a hexagon shape, an octagon shape and a football shape.

Please cancel Claim 15 without prejudice.

16. (Original) The integrated circuit of Claim 11 wherein said first body is spaced from said first gate.

17. (Original) The integrated circuit of Claim 11 wherein said first and second gates are connected.

18. (Original) An integrated circuit comprising:

a first source;

a first drain;

a first gate that is arranged between said first source and said first drain;

a first body that is arranged inside of and is surrounded by said first source;

a second drain; and

a second gate that is arranged between said first source and said second drain;

wherein said first source includes a source contact tap and wherein said first and second gates are arranged farther apart adjacent to said source contact tap than in areas that are not adjacent to said source contact tap.

19. (Original) The integrated circuit of Claim 18 wherein said first source, said first drain, and said second drain include n^+ regions and said first body includes a p^+ region.

20. (Original) The integrated circuit of Claim 18 wherein said first body tapers as a distance between a midportion of said first body and said first gate decreases.

21. (Original) The integrated circuit of Claim 18 wherein said first body has at least one of a diamond shape, a circular shape, an elliptical shape, a hexagon shape, an octagon shape and a football shape.

Please cancel Claim 22 without prejudice.

23. (Original) The integrated circuit of Claim 18 wherein said first body is spaced from said first gate.

24. (Original) The integrated circuit of Claim 18 wherein said first and second gates are connected.